



JARRAH

AUSTRALIAN PRESTIGE
RANGE

WWW.HEPH.COM.AU





HEPH FLOORING

An outlook of Australia's most
prestige and beloved species

JARRAH

Jarrah is a unique Australian hardwood renowned for its versatility. Its durability and strength make it an ideal timber for a range of timber design applications, with timbers that display colours ranging from deep red to blonde. Jarrah trees grow on the iron and aluminium rich plains of south-western corner of Western Australia, from the ranges east of Perth down to Albany. They are slow growing, their roots often reaching to great depths. Their long, straight trunks, can grow up to 40 metres tall and 2 metres in diameter, creating beautifully coloured and grained timbers. The bark is rough with a fibrous texture, and covers the entire trunk and smallest branches.



The timber flooring is manufactured with components that are FSC certified, Australia/ New Zealand sourced pine as the core material and with the Australian hardwood as the wear layer. Thus creating a product high in quality and structurally stable. The Australian Prestige comprise of the 5g Välinge Click system and enables a simple installation method.



Australian Prestige utilises a 6 layer coat of lacquer cured by UV light, which is done through highly technological machinery application thus making it more durable and highly scratch and stain resistant.

HEPH

Building Material Supplier

www.heph.com.au

For all inquiries, feel free to email - info@heph.com.au



Flooring Specification

Botanical Name :	Eucalyptus marginata
Species :	Jarrah
Colour :	Light reddish brown to darker brick red
Grain :	Medium to coarse texture with interlocked or wavy grains
Grade Standard :	Standard and better
Thickness (mm) :	3 / 13.5
Width (mm) :	136
Length (mm) :	1820 / 2130
Finish :	Matt / Stain
Surface :	Smooth / Brushed
Edges :	Square
Profile :	5G
Packaging :	8 pieces per pack (136mm)
Properties Hardness / Janka :	8.5 kN
Average Dry Density :	820kg/m3
Formaldehyde Emissions :	European E1 standard
Coating :	Pre-finished, water based robust 6 Layers of UV cured acrylic lacquer, making them more durable, highly scratch and stain resistance.
Hardwood Origins :	Australia



HEPH

Building Material Supplier

www.heph.com.au

For all inquiries, feel free to email - info@heph.com.au

