

Hybrid Floors Consumer & Maintenance Guide



Hybrid Floors

1. What is a Hybrid Floor

Hybrid flooring is the perfect choice for any home or commercial space. It offers a range of benefits, such as increased durability and water-resistance, great style options, easy installation and maintenance requirements, and affordability.

The construction of hybrid flooring makes it more resistant to scratches and dents than other types of floorings. Furthermore, its water-resistance means that it is suitable for wet areas such as bathrooms and kitchens.



Hybrid Floors

2

In addition, hybrid flooring offers a wide range of colors, patterns, textures, and finishes to choose from. Installing hybrid flooring also requires minimal effort and time compared to other options. This makes it an ideal choice for busy households or commercial spaces.

Overall, hybrid flooring is an excellent choice for any interior space due to its beautiful appearance, water-resistant nature, enhanced durability and easy installation process. With so many advantages and style options available, it's easy to see why hybrid flooring has become a popular choice for many homeowners and businesses alike.



Hybrid Floor Installation

Hybrid floors are generally installed with the floating floors method where the flooring is often clipped together or glued at T&G board edges, but will not be glued to the sub-floor. Such floors have a naturally drummy sound throughout due to many factors such as expansion and contraction of the boards, expansion and contraction of the subfloor (concrete, plywood and etc). It is important for consumers to realise that drummy sounds often do not constitute a problem with the floor and with normal walking are often not noticeable. Drummy sounds should be assessed when the consumers notice a break in the click system or there is a consistent noise in the same area.



Hybrid Floor Maintenance

1. You can immediately walk on your new hybrid floors after installation. It is allowed to use a vacuum cleaner with soft edges and soft wheels on your hybrid floor.

2 . For general cleaning and maintenance we recommend the using a spray mop with washable microfibre pad. This should be used as per the enclosed instructions within the kit. The use of other cleaning products, sealants, polishers or agents may lead to residue build ups and can damage your floor. These residues can harbour dirt and marks leaving your floor looking dirty. Always remove spilled liquids from the floor immediately



3. Never drag heavy items or furniture over the floor, but lift them up. Make sure furniture legs have a large floor surface and are provided with non-staining floor protectors. The taller and/or wider the furniture feet are, the better the weight distribution on the floor will be, and the less chance there is to damage the floor. Place non-rubber backed mats at all outside entrances to prevent dirt, grit and soil from being transferred onto your floor.

This will reduce damage, the maintenance requirement and extend the life of your floor. Please note that prolonged contact with some rubber types can cause a permanent stain.

Do not allow cigarettes, matches or other very hot items to contact the floor as this may cause permanent damage.

Do not drag sharp toys, high heels, or any other sharp objects throughout the floors.



Floor to ceiling windows coupled with the Australian/New Zealand sun can create floor surface temperatures over 70°C. LUXO Floors hybrid flooring is manufactured to be stable in low and high temperatures (0-55°C). However, your floor should be protected from extreme temperatures and strong direct sunlight by the use of interior temperature and humidity control (recommended temperatures 10- 30°C and relative humidity levels between 30% and 70%), window tinting, awnings and/or curtains/ blinds. Dramatic temperature changes and/or extreme humidity can cause joints to lip/gap and prolonged direct sunlight will cause fading.

